

SOCKET HEAD CAP SCREWS

METRIC SERIES M3-M24

RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES

INCLUSIVE OF EXCISE DUTY & OCTROI

(EFFECTIVE 1ST APRIL 2012)



Dia. KEY Length	M3 2.5mm	M4 3mm	M5 4mm	M6 5mm	M8 6mm	M10 8mm	M12 10mm	M14 12mm	M16 14mm
5	1330	1170	-	-	-	-	-	-	-
6	1150	1170	1310	1310					
8	850	875	900	900	1100				
10	705	690	505	600	1010				
12	705	630	510	600	765	1150			
16	740	535	575	570	675	1060	3150		
20	740	570	535	600	700	965	2800	7060	6200
25	770	585	670	670	780	1060	2440	6360	6200
30	900	855	760	755	855	1170	2440	6360	6200
35		950	830	830	930	1265	2500	5350	5210
40		1040	910	900	1010	1345	2515	5470	5340
45		1190	985	960	1070	1460	2560	5570	5430
50		1465	1070	1035	1120	1550	2610	5700	5550
55		2320	1820	1120	1235	1675	2770	5780	5640
60			2335	2080	1325	1800	2930	6120	5960
65			4660	2150	1420	1960	3070	6210	6050
70			5600	2250	1520	2100	3250	6700	6530
75				2490	1610	2240	3390	7080	6890
80				2300	2420	3450	4060	7420	7220
85				2890	2800	3930	-	-	-
90				2890	2800	3930	4600	7580	7390
100				3260	3320	4620	5310	9400	9170
110				3920	4150	5470	6390	10220	9960
120				3800	4850	5530	7350	11050	10760
130				6200	5960	7620	8910	12800	12470
140					6400	8530	9940	13700	13350
150					6900	9460	10980	14600	14240
160							18080		28350
170							19880		31550
180							19880		31550
200							21500		34850

1. Specification : Generally conforming to IS : 2269, DIN 912, ISO : 4762
2. Threads : ISO Metric, 5g6g as per IS : 4218
3. Material : Special grade alloy steel
4. Mechanical Properties : Property class 12.9 as per IS : 1367
5. Note : Size in brackets are non-preferred standards shaded sizes are fully threaded
6. Finish : Blackened and coated with rust preventive oil.


SOCKET HEAD CAP SCREWS

METRIC SERIES M3-M24

RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES

INCLUSIVE OF EXCISE DUTY & OCTROI

(EFFECTIVE 1ST APRIL 2012)



Dia. KEY Length	M18 18mm	M20 17mm	M22 17mm	M24 19mm	M27 19mm	M30 22mm	M33	M36 27mm	
25		15150							
30	16660	15150							
35	16880	15340							
40	14780	13430		16250					
45	14880	13530		16620					
50	15000	13630	17430	15920					
55	15100	13720	19600	17920					
60	15210	13830	20150	18400					
65	15340	13960	22460	20490					
70	16400	14900	21800	20890	39550				
75	17460	15870	25500	22100	39550	39550	57200		
80	17800	16180	25500	23270	39550	39550	59500	71200	
90	18150	16500	26730	24400	43450	43450	64500	77600	
100	19050	17310	28210	25760	46400	46400	67500	84200	
110	21100	19360	30670	27980	49300	49300	71150	84200	
120	23100	21000	33150	30240	52300	52300	77600	87700	
130	25150	22840	43570	32520	55850	55850	81250	90700	
140	27150	24650	50900	34780	58000	58000	86400	100100	
150	29150	26520	67840	37050	61700	61700	90700	103800	
160	35600	33950	97000	60100	97200	97200	120500	140100	
170	40600	38760	103850	64300	107500	107500	133400	156000	
180	40600	38760	103850	64300	107500	107500	133400	156000	
200	42400	40450	111000	68900	116900	116900	145000	169100	
220		45500	122100	73700	145800	145800	179900	209000	
230		55900	-	-	-	-	-	-	
240		72700	131800	78900	161400	161400	193800	214800	
250		80300	136700	81300	184400	167000	-	230000	
260		88000	141500	68700	175700	166900	220600	230000	
280		104150	151250	87300	188000	177900	213800	245300	
300		111650	162000	93800	199300	188900	230400	260600	

1. Specification : Generally conforming to IS : 2269, DIN 912, ISO : 4762
2. Threads : ISO Metric, 5g6g as per IS : 4218
3. Material : Special grade alloy steel
4. Mechanical Properties : Property class 12.9 as per IS : 1367
5. Note : Size in brackets are non-preferred standards shaded sizes are fully threaded
6. Finish : Blackened and coated with rust preventive oil.



SOCKET HEAD CAP SCREWS

INCH SERIES BSW (3/16" 1")

RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES


INCLUSIVE OF EXCISE DUTY & OCTROI

(EFFECTIVE 1ST APRIL 2012)




Dia. KEY Length	3/16"	1/4"	5/16"	3/8"	7/16"	1/2"	5/8"	3/4"	7/8"	1"
	5/32"	3/16"	7/32"	5/16"	5/16"	3/8"	1/2"	9/16"	9/16"	5/8"
3/8"	620	605	770							
1/2"	620	605	765	1240						
5/8"	575	605	675	1240						
3/4"	620	605	700	1005	3020	2810	6790			
7/8"	665	635	760	1130	3020	2810	5790			
1"	695	670	780	1130	2650	2450	5790	15160		
1.1/4"	760	755	850	1230	2650	2450	5030	15160		
1.1/2"	870	840	950	1370	2690	2500	5220	13370	20100	19200
1.3/4"	1060	1035	1130	1630	2870	2670	5540	13670	20900	19900
2"		1035	1130	1630	2870	2670	5540	13670	20900	19900
2.1/4"		2080	1355	1960	3300	3070	6020	13980	22500	21500
2.1/2"		2080	1355	1960	3300	3070	6020	13980	22500	21500
2.3/4"		2250	1610	2350	3730	3460	6620	15880	25300	24200
3"		2410	1610	2350	3730	3460	6620	15880	25300	24200
3.1/4"		2890	2810	3600	5060	4690	7080	16490	27450	26700
3.1/2"		2890	2810	3600	5060	4690	7080	16490	27950	26700
4"		3180	3320	4220	5860	5450	9170	17310	29500	28100
4.1/2"			5200	6220	7350	6820	9730	20990	34700	33100
5"			6520	7690	9010	8400	11010	22800	37200	35500
5.1/2"			8030	9250	10280	9240	13670	24700	39800	38000
6"			8030	9520	10280	9570	14240	26450	42400	40500
6.1/2"							29960	34800	71000	67800
7"							31540	35600	73800	70200
7.1/2"							32820	36400	76200	72800
8"							34870	37100	78700	75200
8.1/2"								39200		77400
9"								42000		82200

1. Specification : Generally conforming to bs : 2470
2. Threads : BS whitworth, Medium as per BS : 84
3. Material : Special grade alloy steel
4. Mechanical Properties : As per BS 2470
5. Note : Shaded sizes are fully threaded.
6. Finish : Blackened and coated with rust preventive oil.



SOCKET SET SCREWS

4



METRIC SERIES M3-M20

KNURLED CUP POINT

RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES
INCLUSIVE OF EXCISE DUTY & OCTROI
(EFFECTIVE 1ST APRIL 2012)


Diameter	M3	M4	M5	M6	M8	M10	M12	M16	M20
L	1.5MM	2MM	2.5MM	3MM	4MM	5MM	6MM	8MM	10MM
3	429								
4	402	402							
5	405	405	282	475					
6	410	410	287	287	313				
8	420	420	287	313	313	355			
10	440	360	308	260	318	355	970		
12	470	470	323	328	328	410	690		
16	490	495	328	359	369	455	750		
20				379	400	490	790		
25				456	461	600	900		
30				625	660	860	1050		
35					770	980	1195		
40									
45									
50									
55									
60									
65									
70									
75									
A. Key									

1. Specification : Generally conforming to IS: 6094, ISO: 4029
2. Threads : ISO Metric, 5g6g as per IS:4218
3. Material : Special grade alloy steel
4. Mechanical Properties : Property class 45H as per IS: 1367
5. Note : Prices for special points shown below will be 25% extra




FLAT
6094

DIN 913



CONE
6094

DIN 914



DOG
6094

DIN 915



PLAIN CUP
6094

DIN 916

6. Finish : Blackened and coated with rust preventive oil.

SOCKET SET SCREWS


5



INCH SERIES BSW

KNURLED CUP POINT

RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES
INCLUSIVE OF EXCISE DUTY & OCTROI
(EFFECTIVE 1ST APRIL 2012)



DIAMETER \ LENGTH	3 / 16"	1 / 4"	5 / 16"	3 / 8"	1 / 2"
	KEY 3 / 32"	KEY 1 / 8"	KEY 5 / 32"	KEY 3 / 16"	KEY 1 / 4"
3 / 16	290				
1 / 4	290	290			
5 / 16	290	315	315		
3 / 8	315	320	320	350	
1 / 2	330	330	330	400	690
5 / 8	330	355	370	455	750
3 / 4		380	405	490	790
1		465	490	590	900
1 1 / 4		630	660	850	1160
Qty. Per Box	200	200	200	200	200

1. Specification : Generally conforming to BS: 2470

2. Threads : BS Whitworth. Medium as per BS : 84


3. Material : Special grade alloy steel

4. Mechanical Properties : As per BS : 2470


5. Note : Prices for special points shown below, generally conforming to BS : 2470 will be 25% extra




FLAT



CONE



DOG




PLAIN CUP

6. Finish : Blackened and coated with rust preventive oil.

SOCKET COUNTERSUNK HEAD SCREWS

METRIC SERIES M3-M16

RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES
INCLUSIVE OF EXCISE DUTY & OCTROI
(EFFECTIVE 1ST APRIL 2012)



Dia. KEY Length	M3	M4	M5	M6	M8	M10	M12	M16	M20
	2mm	2.5mm	3mm	4mm	5mm	6mm	8mm	10mm	12mm
8	1260	685	1015	1210					
10	1260	685	566	775					
12	1360	582	585	620	1010	-			
16	1455	785	785	680	1010	1640			
20	1645	845	850	735	1080	1340			
25	1840	985	985	855	1245	1560	2850	-	
30	2040	1190	1190	1035	1420	1780	3260	5280	
35		2465	1585	1390	1620	2040	3660	5690	
40		2645	2465	1585	1840	2340	4060	6100	
45		2990	2810	2810	2065	2640	4470	6510	
50		3520	3520	3520	3520	2975	4870	6910	
55					3870	-	5280	7300	
60							5690	7710	
65							6410	8490	
70							6900	8920	
75							7420	9360	
80							7990	9830	
90							9250	11160	
100							10710	13480	
Qty. Per Box									

1. Specification : Generally conforming to IS: 6761, DIN 79911

2. Threads : ISO metric, 5g6g as per IS: 4218

3. Material : Special grade alloy steel

4. Mechanical Properties : Property class 12.9 as per IS: 1367

5. Note : Shaded sizes are fully threaded

6. Finish : Blackened and coated with rust preventive oil.

SOCKET (BUTTON) HEAD SCREWS

METRIC SERIES M3-M10

Dia. KEY Length	M3	M4	M5	M6	M8	M10
	2mm	2.5mm	3mm	4mm	5mm	6mm
6	1090	690	1090			
8	1290	690	1040	1180		
10	1400	690	725	795	1290	
12	1490	745	745	670	1040	
16	1690	805	805	860	880	1690
20	1870	860	865	940	1120	1390
25	2050	1010	1010	1090	1280	1600
30		1220	1220	1250	1460	1840
35			1400	1430	1660	2100
40			1560	1620	1890	2400
45				1980	2190	2800
50					2400	3090

1. Specification : Generally conforming to ISO : 7380

2. Threads : ISO metric, 5g6g as per IS: 4218

3. Material : Special grade alloy steel



4. Mechanical Properties : Property class 12.9 as per IS: 1367

5. Note : Shaded sizes are fully threaded

6. Finish : Blackened and coated with rust preventive oil.

SOCKET COUNTERSUNK HEAD CAP SCREWS

7



INCH SERIES BSW

RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES
INCLUSIVE OF EXCISE DUTY & OCTROI
(EFFECTIVE 1ST APRIL 2012)

DIAMETER LENGTH	1/4"	5/16"	3/8"	1/2"	5/8"
	KEY 5 / 32"	KEY 3/16"	KEY 7/32"	KEY 5/16"	KEY 1/2"
3/8"	780				
1/2"	780	1140			
5/8"	850	1140	1770		
3/4"	920	1090	1590	3510	
7/8"	990	1190	1710	3860	
1"	1070	1250	1840	4390	
1.1/4"	1220	1430	2110	4880	
1.1/2"		1900	2850	5450	
2"			3190	6110	7790
2.1/2"				6840	8450
3"					10500
Qty. Per Box	100			50	

1. Specification : As per SFL Specification (Please refer to SFL Technical data sheet)
2. Threads : BS Whitworth. Medium as per BS 84
3. Material : Special grade alloy steel
4. Mechanical Properties : Hardness 36-44 HRc
5. Note : Shaded sizes are fully threaded.
6. Finish : Blackened and coated with rust preventive oil.

MOULDED T" HANDLE HEXAGON SOCKET KEY

8

INCH SERIES 1/16" TO 5/16"


&

METRIC SERIES 1.5mm TO 8mm

RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES

INCLUSIVE OF EXCISE DUTY & OCTROI

(EFFECTIVE 1ST APRIL 2012)



INCH	Price Per 100 Pieces	Qty. Per Box	MM	Price Per 100 Pieces	Qty. Per Box
1/16"	2600	25	1.5	2600	25
5/64"	2600	25	2	2600	25
3/32"	2600	25	2.5	2600	25
1/8"	2600	25	3	2600	25
5/32"	2820	25	4	3100	25
3/16"	3180	25	5	3600	25
7/32"	3700	30	6	4900	10
1/4"	4900		8	7450	10
5/16"	6700				

MOULDED T" HANDLE HEXAGON SOCKET KEY

(EXTRA LONG)



INCH SERIES 1/16" TO 1/4"

&

METRIC SERIES 1.5mm TO 8mm

RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES

INCLUSIVE OF EXCISE DUTY & OCTROI



INCH	Price Per 100 Pieces	Qty. Per Box	DIMENSIONS ACROSS FLATS	Price Per 100 Pieces	Qty. Per Box
1/16"	3500	25	1.5mm	3500	25
5/64"	3900	25	2mm	3900	25
3/32"	3900	25	2.5mm	3900	25
1/8"	3900	25	3mm	3900	25
5/32"	4350	10	4mm	4600	10
3/16"	4750	10	5mm	5300	10
7/32"	5450	10	6mm	7150	10
1/4"	7300	5	8mm	9600	5

1. Specification : a) Inch size : Generally conforming to BS: 2470
b) Metric sizes : Generally conforming to IS: 3082
DIN : 911, BS : 4168
2. Mechanical Properties : Hardness -HRc 50 min.
3. Note : Size stamped on plastic "T" handle for easy Identification.

HEXAGON SOCKET KEYS

9

INCH SERIES 1/16" TO 5/8"


&

METRIC SERIES 1.5mm to 36mm


RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES

INCLUSIVE OF EXCISE DUTY & OCTROI

(EFFECTIVE 1ST APRIL 2012)



Dimensions Across Flats	Price Per 100 Pieces	Qty. Per Box	Dimensions Across Flats	Price Per 100 Pieces	Qty. Per Box
1/16"	1040	100	1.5mm	1040	100
5/64"	1040	100	2 mm	1040	100
3/32"	1040	100	2.5 mm	840	100
1/8"	1040	100	3 mm	840	100
9/64"	1900	100	4 mm	1660	100
5/32"	1240	100	5 mm	2150	100
3/16"	1590	100	6 mm	2870	50
7/32"	2280	50	7 mm	8550	50
1/4"	3180	50	8 mm	5230	25
5/16"	5220	25	9 mm	13370	50
3/8"	8180	25	10 mm	8550	25
1/2"	15580	10	12 mm	13370	10
9/16"	20020	10	14mm	19050	10
5/8"	27850	10	17 mm	32400	10
			19 mm	44750	10
			22 mm	78250	5
			24 mm	101050	5
			27 mm	176750	5
			32 mm	311800	4
			36 mm	472350	4



DELUXE AND STANDARD KEY SETS

PRICES IN RUPEES PER SET

INCLUSIVE OF EXCISE DUTY AND OCTROI

(EFFECTIVE 1ST APRIL 2012)

Size Across Flats	Standard Price/Set
Metric 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm	267.00
Inch. 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	279.00

1. Specification : a) Inch size : BS:2470 b) Metric series : IS:3082, DIN 911
2. Material : Special Grade Alloy Steel
3. Mechanical Properties : Hardness - HRc 47 min.
4. Finish : Blackened and coated with rust preventive oil.

SOCKET HEAD CAP SCREWS

INCH SERIES BSF/UNC/UNF (3/16"-1")

RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES

INCLUSIVE OF EXCISE DUTY & OCTROI

(EFFECTIVE 1ST APRIL 2012)



Dia. Length	3/16"	1/4"	5/16"	3/8"	7/16"	1/2"	5/8"	3/4"		
3/8"	790	765	975							
1/2"	790	765	970	1570						
5/8"	730	725	845	1570						
3/4"	790	765	885	1275	3825	3555				
7/8"	840	805	925	1425	3825	3555	7340			
1"	880	845	990	1425	3340	3100	7340	18330		
1.1/4"	965	955	1080	1560	3340	3100	6380	18330		
1.1/2"	1110	1065	1200	1730	3405	3165	6605	16150		
1.3/4"	1325	1320	1425	2065	3405	3380	7025	16540		
2"		1320	1425	2065	3635	3380	7025	16540		
2.1/4"		2630	1705	2475	4185	3890	7630	16890		
2.1/2"		2630	1705	2475	4185	3890	7630	16890		
2.3/4"		2840	2035	2975	4720	4385	8390	19210		
3"		3665	2035	2975	4720	4385	8390	19210		
3.1/2"			3540	4560	6410	5960	8970	19970		
4"			4210	5345	7650	6890	11625	20940		
4.1/2"			6595	7880	9300	8640	12340	25390		
5"			8210	9750	11420	10630	13950	27650		
5.1/2"			9190	11720	13015	11705	17300	29850		
6"			10160	12055	13015	12110	18020	32050		
6.1/2"										
7"										
7.1/2"										
8"										
8.1/2"										
9"										
10"										

1. Specification : Generally conforming to BS:2470
2. Threads : BS whitworth medium BS 84-1956 (BSF), United National Coares : BS1580-1962 (UNC), Unified National Fine : BS 1580-1962 (UNF)
3. Material : Special grade allow steel
4. Mechanical Properties : As per BS : 2470
5. Note : Shaded sizes are fully threaded
6. Finish : Blackened and coated with rust preventive oil.

TVS HEX HEAD BOLTS & NUTS

RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES
INCLUSIVE OF EXCISE DUTY & OCTROI

(EFFECTIVE 1ST APRIL 2012)



Dia. Length	1/4"	5/16"	3/8"	7/16"	1/2"	5/8"	3/4"	7/8"	1"
1/2"	505	668	1055						
5/8"	649	665	1100	970					
3/4"	571	619	915	980	1755				
7/8"	530	698	1150	1100	1900				
1"	557	668	825	1130	1850	3505			
1.1/4"	571	672	900	1220	1965	3725			
1.1/2"	622	789	970	1290	1940	3910	7215	10090	14000
1.3/4"	654	870	1070	1505	2205	3990	7490	10575	14005
2"	717	898	1175	1620	2400	4180	7980	11085	14040
2.1/4"	755	990	1225	1770	2545	4435	8365	11750	14600
2.1/2"	790	1038	1350	1905	2575	4860	8780	12310	15240
2.3/4"	898	1158	1480	2060	2615	5260	9565	12890	16260
3"	982	1214	1565	2218	2847	5655	9945	13485	17010
3.1/4"		1235	1660	2390	3155	6020	10625		
3.1/2"		1325	1775	2430	3175	6530	10980	15630	19300
3.3/4"		1835	2290						
4"		1940	2430	3150	3775	7410	12330	16700	21250
4.1/2"		2005	2510	3510	4170	7960	13210	18555	23380
5"		2300	2675	3945	4445	8970	14050	19960	24980
5.1/2"			4320		7335	10300	14980	21030	26570
6"			4905		8960	10585	15780	22300	28210
6.1/2"					9315	12045	16650	23600	29860
7"					9895	12600	17500	24860	31450
7.1/2"					10700	12880	18315	26120	33040
8"					11135	13750	19170	27360	35240
NUTS									
UNF/NC	141	155	250	380	610	1440	2810	3390	4170
BSF/BSW	141	155	250	380	610	1440	2810		
NYLOC									
UNF/NC	285	365	495	755	885	1780	-		
BSF/W	285	365	495	755	920	1840			

BSF / BSW

1. Specification : BS 1083 - 1965
2. Threads : BS 84 - 1956
3. Supply Condition : As per BS - 1083
4. Shaded Size are fully threaded.


UNF / UNC

- ANSI B-18, 2.1/1965
B 1. 1/1960
As per B - 18.2.1.

TVS HEX HEAD BOLTS & NUTS

RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES
INCLUSIVE OF EXCISE DUTY & OCTROI


(EFFECTIVE 1ST APRIL 2012)



Dia. Length	4mm	5mm	6mm	8mm	10mm	12mm	14mm	16mm	18mm	20mm
8mm		419								
10mm		419	395	625						
12mm		431	419	595						
16mm		444	435	610	1015					
20mm		470	461	435	940	1515				
25mm		520	517	565	970	1560	2415	3650		
30mm		548	548	639	985	1630	2490	3650		
35mm		588	588	565	800	1645	2590	3660		
40mm		600	600	620	1270	1585	2745	3710	6740	7530
45mm		625	615	600	1050	1995	2410	4020	7020	7530
50mm		865	690	737	1080	2130	2675	4230	7230	7800
55mm			730	840	1460	2225	3425	4490	7720	8100
60mm			730	1020	1590	2320	3300	4820	7970	8600
65mm			830	1060	1670	2370	3680	5100	8250	8250
70mm			830	1120	1755	2730	4100	5410	8590	9210
75mm			910	1150	1930	2830	4300	5810	9090	9580
80mm			940	1220	2285	3020	4540	6350	9100	9840
85mm			1040	1300	2400	3150	4650	6540	-	
90mm				1630	2540	3300	4970	6800	9690	10480
100mm				1815	2755	3855	5730	7370	10260	11080
110mm				2070	2990	4300	6520	8020	11300	11700
120mm				2630	3530	4590	6900	8950	11900	12680
130mm				2785	4260	4860	7430	10700	12450	13550
140mm				3320	4410	5870	10600	10950	13000	14100
150mm					6800	8430	11680	13000	13900	14900
160mm					7110	8440	13100	13500	15450	16900
170mm					7430	8470	13580	14650	16050	17650
180mm						9170	14010	15150	16700	18400
200mm						12100	15000	16400	18000	19800
NUTS										
GR.8	129	146	118	148	220	470	1070	1380	2040	2900
GR.10	-	-	-	180	355	525	1320	1450	2140	3030
NYLOC	-	-	250	340	530	900	1480	1870		

1. Specification : IS 1364 - 1992
2. Thread Fit : IS 4218 - 1976


3. Supply Condition : IS 1367 - 1980
4. Shaded size are fully threaded.



TVS HEX HEAD BOLTS & NUTS

RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES
INCLUSIVE OF EXCISE DUTY & OCTROI

(EFFECTIVE 1ST APRIL 2012)



Dia. Length	16mm	20mm	22mm	24mm	27mm	30mm	33mm	36mm	
45mm			8950	12500					
50mm			9950	12500					
55mm			10700	12550					
60mm			11080	13000					
65mm			12450	13470	28650				
70mm			12850	14270	28650	39600			
75mm			13300	14790	30850	38200		66250	
80mm			13800	16250	32200	39600	52900	66250	
90mm			14700	17360	35200	43100	56200	71200	
100mm			14950	18770	38200	46400	60000	74200	
110mm			17100	19500	41200	50100	64600	79100	
120mm			18250	20590	42000	52100	66300	80700	
130mm			19250	21580	43400	54600	69800	84800	
140mm			20200	22610	46400	57800	74200	89700	
150mm			21150	23720	49100	61100	78500	94200	
160mm			23000	25800	51200	66000	81800	99300	
180mm			25000	28050	57300	72800	89700	115300	
200mm			25700	30250	62500	79400	97600	124900	
220mm	23600	43000	50900	58600	86200	95700	118100	149700	
240mm	25400	39100	55000	60700	92700	102500	126800	160600	
260mm	25900	40900	57300	62800	99000	109300	136300	171500	
280mm	28600	44600	63700	69100	105000	116200	145900	182100	
300mm				108300	109900	123900	155100	219000	
NUTS									
GR. 10			3675	4360	8460	11450	16360	22080	


1. Specification : IS 1364 - 1992
2. Thread Fit : IS 4218 - 1976

3. Supply Condition : IS 11367 - 1980
4. Shaded size are fully threaded.

TVS HEX HEAD BOLTS & NUTS

RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES
INCLUSIVE OF EXCISE DUTY & OCTROI

(EFFECTIVE 1ST APRIL 2014)



Dia. Length	1/4"	5/16"	3/8"	7/16"	1/2"	5/8"	3/4"	7/8"	1"
1/2"	530	700	1090						
5/8"	690	700	1140						
3/4"	600	650	950	1020	1820				
7/8"	560	730	1190	1140	1980				
1"	590	700	860	1170	1920	3620			
1.1/4"	600	700	930	1270	2040	3850	7100		
1.1/2"	650	830	1020	1350	2010	4040	7440	10410	14450
1.3/4"	690	910	1110	1580	2290	4130	7730	10900	14450
2"	750	940	1230	1690	2490	4330	8230	11450	14500
2.1/4"	800	1030	1270	1840	2640	4570	8620	12120	15050
2.1/2"	830	1080	1400	1980	2670	5020	9050	12700	15750
2.3/4"	940	1210	1540	2150	2700	5430	9880	13300	16800
3"	1020	1270	1610	2300	2950	5840	10250	13900	17550
3.1/4"	1230	1290	1730	2470	3270	6230	10970		
3.1/2"	1290	1380	1840	2520	3300	6750	11330	16100	19900
3.3/4"		1900	2380						
4"		2010	2520	3270	3730	7640	12700	17250	22000
4.1/2"		2190	2600	3630	4310	8220	13620	19150	24150
5"		2380	2780	4070	4590	9260	14500	20600	25800
5.1/2"			4470	5560	7560	10630	15450	21700	27400
6"			5060		9250	10920	16270	23100	29100
6.1/2"					9640	12450	17200	24350	30850
7"			6324		10200	13010	18100	25700	32500
7.1/2"					11020	13570	18900	27000	34100
8"					11530	14180	19800	28300	36400
NUTS									
UNF/NC	155	170	285	450	705	1570	3040	3510	4750
BSF/BSW	155	170	285	450	705	1570	3040	3510	4750
NYLOC	295	385	520	795	970	1930			

BSF / BSW

1. Specification : BS 1083 - 1965
2. Threads : BS 84 - 1956
3. Supply Condition : As per BS - 1083
4. Shaded Size are fully threaded.


UNF / UNC

- ANSI B-18, 2.1/1965
B 1. 1/1960
As per B - 18.2.1.

TVS HEX HEAD BOLTS & NUTS

RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES
INCLUSIVE OF EXCISE DUTY & OCTROI

(EFFECTIVE 1ST APRIL 2014)



Dia. Length	4mm	5mm	6mm	8mm	10mm	12mm	14mm	16mm	18mm	20mm
8mm		445								
10mm		445	415	650						
12mm		460	445	620						
16mm		460	460	635	1050					
20mm		540	520	460	980	1570				
25mm		540	540	590	1010	1610	2510	3770		
30mm		570	570	665	1030	1690	2590	3770		7790
35mm		620	620	600	900	1710	2680	3790	6960	7790
40mm		635	635	650	1320	1660	2840	3850	6960	7790
45mm		655	635	670	1130	2060	2490	4150	7250	7790
50mm		910	705	760	1180	2200	2840	4350	7450	8040
55mm			760	920	1510	2300	3550	4650	8000	8360
60mm			765	1060	1650	2410	3370	5000	8250	8900
65mm			880	1100	1730	2460	3800	5280	8500	9140
70mm			880	1165	1830	2820	4240	5590	8900	9490
75mm			950	1205	2000	2930	4450	6000	9400	9880
80mm			990	1270	2350	3130	4690	6550	9400	10150
85mm			1080	1350	2490	3260	4800	6750		
90mm				1680	2640	3420	5140	7010	10000	10800
100mm				1890	2860	3990	5920	7610	10600	11450
110mm				2150	3100	4450	6740	8280	11650	12070
120mm				2740	3660	4750	7120	9230	12300	13070
130mm				2900	4410	5030	7670	11050	12850	14000
140mm				3450	4550	6070	10950	11270	13400	14550
150mm					7040	8720	12040	13400	14350	15350
160mm					7350	8720	13500	13900	15900	17450
170mm					7670	8800	14050	15100	16550	18200
180mm						9500	14500	15610	17250	19000
200mm						12510	15500	16900	18600	20400
NUTS	143	158	145	175	270	510	1160	1510	2230	3130
GR.10				194	367	560	1370	1510	2230	3130
NYLOC	255	260	255	350	540	920	1510	1900		
FINE PT	12x1.25 - 690			18x1.5 - 2440			20 x 1.5 - 3410			


1. Specification : IS 1364 - 1992
2. Thread Fit : IS 4218 - 1976

3. Supply Condition : IS 1367 - 1980
4. Shaded size are fully threaded.

TVS HEX HEAD BOLTS & NUTS

RECOMMENDED RETAIL PRICES IN RUPEES PER 100 PIECES
INCLUSIVE OF EXCISE DUTY & OCTROI

(EFFECTIVE 1ST APRIL 2014)



Dia. Length	16mm	20mm	22mm	24mm	27mm	30mm	33mm	36mm	42mm
45mm			9220	12900					
50mm			10240	12900					
55mm			11050	12950					
60mm			11400	13400					
65mm			12850	13900	29550				
70mm			13250	14750	29550	40750			
75mm			13700	15250	31800	39350		68250	
80mm			14250	16750	33150	40750	56710	68250	
90mm			15200	17900	34300	44400	60110	73350	
100mm			15400	19350	39400	47800	64250	76400	138800
110mm			17600	20100	42450	52550	69250	81500	147600
120mm			18800	21250	43250	53700	70920	83150	156500
130mm			19850	22250	44700	56250	74750	87450	165400
140mm			20800	23300	47750	59700	79500	92450	174400
150mm			21800	24450	50600	63000	83750	97500	184000
160mm			23750	26600	53350	68150	87670	102400	193000
170mm			25750	28900	59100	75100	96150	119000	210800
180mm			25750	28900	59100	75100	96150	119000	210800
200mm			26500	31200	64500	81800	105000	128800	229000
220mm	24300	44300	51500	59200	88800	98700	126400	154300	254300
240mm	26300	40300	55800	61300	95700	105700	135700	165700	266300
260mm	26800	42300	57900	63600	102000	112800	146100	178000	287800
280mm	29500	46100	64400	69900	108400	120000	156400	187700	302700
300mm	32500	50000	71400	109300	113300	127800	166200	225300	320000
NUTS	1510	3130	3800	4510	8750	11800	17600	22800	45000

1. Specification : IS 1364 - 1992
2. Thread Fit : IS 42:18 - 1976

3. Supply Condition : IS 11367 - 1980
4. Shaded size are fully threaded.